




# Replaces Toro Groundsmaster 5900-D Parts

Rotary Mower - Model 31698

Center Rotary Deck - Model 31601



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Groundsmaster 5900-D Parts

Rotary Mower - Model 31698  
Center Rotary Deck - Model 31601



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## Overhaul Kits

|   |                  |          |                     |   |  |
|---|------------------|----------|---------------------|---|--|
| 4 | <b>R117-9234</b> | 117-9234 | Double Spindle Assy | 2 |  |
| 5 | <b>R117-9233</b> | 117-9233 | High Spindle Assy   | 2 |  |

## Belts

|    |                  |          |                      |   |  |
|----|------------------|----------|----------------------|---|--|
| 20 | <b>R112-7376</b> | 112-7376 | Belt - V - B Section | 1 |  |
| 20 | <b>R112-7377</b> | 112-7377 | Belt - V - B Section | 2 |  |

## Tires & Wheels

|    |                 |                                             |                                      |   |  |
|----|-----------------|---------------------------------------------|--------------------------------------|---|--|
| 30 | <b>R93-4240</b> | 69-6930,<br>85-6420,<br>92-1654,<br>93-4240 | Tire & Wheel - 10x3.50-4             | 2 |  |
| 31 | <b>R93-4243</b> | 93-4243                                     | Tire - 10x3.50-4 (8 Ply) Pneu        | 2 |  |
| 31 | <b>R150591</b>  | 150591                                      | Tire - 10x3.50-4 (8 Ply) Foam Filled | 2 |  |
| 32 | <b>R48251</b>   | 93-4244                                     | Tube - 4.10x350-4                    | 2 |  |
| 33 | <b>R95-2741</b> | 137-5552,<br>95-2741                        | Rim - Wheel Half w/o Valve Hole      | 2 |  |
| 34 | <b>R93-4239</b> | 93-4239                                     | Rim - Wheel Half w/Valve Hole        | 2 |  |
| 35 | <b>R93-4242</b> | 93-4242                                     | Plate - Caster Wheel                 | 2 |  |

## Other Parts Available

|    |                  |                       |                                |   |  |
|----|------------------|-----------------------|--------------------------------|---|--|
| 36 | <b>R108-9017</b> | 108-9017,<br>120-3366 | Bearing-Stainless              | 4 |  |
| 37 | <b>R93-5980</b>  | 93-4238,<br>93-5980   | Hub Assy - w/o Bearings/Spacer | 2 |  |
| 38 | <b>R93-4241</b>  | 93-4241               | Spacer - Caster Wheel          | 2 |  |
| 39 | <b>R327-24</b>   | 327-24                | Bolt - Hex HD 5/8-11 x 6       | 2 |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Groundsmaster 5900-D Parts

Rotary Mower - Model 31698  
Center Rotary Deck - Model 31601



| Item No                         | R&R Part No.     | OEM Part No.                                | Description                     | Qty Req | Order Quantity |
|---------------------------------|------------------|---------------------------------------------|---------------------------------|---------|----------------|
| 40                              | <b>R68-6710</b>  | 68-6710                                     | Roller - Rotary Deck            | 1       |                |
| 41                              | <b>R68-6840</b>  | 68-6840                                     | Shaft - Roller                  | 1       |                |
| 44                              | <b>R104-3544</b> | 104-3544                                    | Mount - Motor Drive             | 1       |                |
| 45                              | <b>R69-1510</b>  | 69-1510                                     | Spacer - 1/2 Caster Fork        | 8       |                |
| 46                              | <b>R92-5816</b>  | 92-5816                                     | Bolt - Hex HD 1/2-20 x 2-1/4    | 3       |                |
| 47                              | <b>R72-9361</b>  | 27-1000,<br>27-1001,<br>72-9360,<br>72-9361 | Cup - Anti-Scalp                | 3       |                |
| 48                              | <b>R108-1956</b> | 108-1956,<br>139-1042,<br>139-6338          | Shaft Assy - Spindle            | 4       |                |
| <b>Ser# 316000001-403450001</b> |                  |                                             |                                 |         |                |
| 49                              | <b>R92-9800</b>  | 69-6950,<br>69-6980,<br>92-9800             | Spacer - Spindle                | 5       |                |
| <b>Ser# 405600000-411799999</b> |                  |                                             |                                 |         |                |
| 49                              | <b>R138-6416</b> | 138-6416                                    | Spacer - Spindle Shaft          | 5       |                |
| 50                              | <b>R253-154</b>  | 253-154                                     | Seal - Spindle                  | 10      |                |
| 51                              | <b>R104-8322</b> | 104-8322,<br>120-5576                       | Washer - Spindle Shaft Hardened | 5       |                |
| 52                              | <b>R69-6470</b>  | 69-6470                                     | Bushing - Flanged               | 4       |                |
| 53                              | <b>R3231-21</b>  | 3231-21                                     | Screw - 3/8-16 x 3/4 Carriage   | 1       |                |
| 54                              | <b>R3296-53</b>  | 3296-53                                     | Locknut - 5/8-11 ESNA Yellow    | 2       |                |
| 55                              | <b>R32128-16</b> | 32128-16                                    | Locknut - 5/16-24 Flanged Top   | 8       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Groundsmaster 5900-D Parts

*Rotary Mower - Model 31698*  
*Center Rotary Deck - Model 31601*



| Item No | R&R Part No.     | OEM Part No.                                                                                              | Description                 | Qty Req | Order Quantity |
|---------|------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------|---------|----------------|
| 57      | <b>R3296-25</b>  | 30-3380,<br>32127-21,<br>32127-31,<br>3290-160,<br>3290-33,<br>3296-13,<br>3296-25,<br>3296-45,<br>329645 | Locknut - 1/2-13 Heavy ESNA | 5       |                |
| 58      | <b>R32127-46</b> | 32127-46,<br>3296-60                                                                                      | Locknut                     | 5       |                |
| 59      | <b>R69-6860</b>  | 69-6860                                                                                                   | Washer - 1/8 - Caster Wheel | 8       |                |
| 60      | <b>R104-3547</b> | 104-3547                                                                                                  | Pulley - Double Driven      | 2       |                |
| 61      | <b>R110-9596</b> | 110-9596,<br>132-9421                                                                                     | Pulley- Flat Idler          | 3       |                |
| 63      | <b>R104-3548</b> | 104-3548                                                                                                  | Pulley - Higher Driven      | 2       |                |
| 64      | <b>R104-3545</b> | 104-3545                                                                                                  | Pulley - Drive              | 1       |                |
| 67      | <b>R106-7159</b> | 106-7159                                                                                                  | O-Ring                      | 5       |                |
| 68      | <b>R93-7818</b>  | 93-7818                                                                                                   | Decal - Blade Torque        | 1       |                |
| 70      | <b>R92-9727</b>  | 92-9727                                                                                                   | Cap Assy - HOC              | 2       |                |
| 71      | <b>R92-8861</b>  | 92-5582,<br>92-8861                                                                                       | Cap - HOC                   | 2       |                |
| 72      | <b>R92-9726</b>  | 92-9726                                                                                                   | Spring - Compression        | 2       |                |
| 73      | <b>R92-5583</b>  | 92-5583                                                                                                   | Washer- Cap                 | 2       |                |
| 74      | <b>R92-5581</b>  | 92-5581                                                                                                   | Ring - Retaining            | 2       |                |
| 75      | <b>R105-3249</b> | 104-7512,<br>105-3249                                                                                     | Damper                      | 1       |                |
| 78      | <b>R3296-59</b>  | 3296-59                                                                                                   | Locknut - 3/8-16 Nylon Jam  | 3       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Groundsmaster 5900-D Parts

Rotary Mower - Model 31698  
Center Rotary Deck - Model 31601



| Item No | R&R Part No. | OEM Part No.                                                                                                                                   | Description                                   | Qty Req | Order Quantity |
|---------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|---------|----------------|
| 79      | R3231-2      | 01-157-0170,<br>01-173-0608,<br>3231-2,<br>3231-22,<br>3231-28,<br>900063P                                                                     | Bolt - Carriage 3/8-16 x 1                    | 3       |                |
| 80      | R114-0997    | 114-0997                                                                                                                                       | Idler Pivot Assy                              | 1       |                |
| 81      | R108-1924    | 108-1924                                                                                                                                       | Spacer-Idler                                  | 3       |                |
| 82      | R104-8331    | 104-8331                                                                                                                                       | Rod End - Spherical                           | 1       |                |
| 84      | R114-8195    | 114-8195,<br>R & R ONLY                                                                                                                        | Bolt- Ribbed Neck                             | 38      |                |
| 86      | R302-5       | 21-6010,<br>302-11,<br>302-37,<br>302-47,<br>302-5,<br>302-57,<br>302-58,<br>302-6,<br>31-0300,<br>32-9660,<br>60-0800,<br>62-3880,<br>92-4181 | Fitting - Grease                              | 2       |                |
| 87      | R32120-84    | 32120-84                                                                                                                                       | Ring - Snap                                   | 2       |                |
| 88      | R100-3102    | 100-3102                                                                                                                                       | Washer-Flat                                   | 2       |                |
| 89      | R108-1993    | 108-1993                                                                                                                                       | Screw - 1/2-13 x 1 3/4 Button Socket Head Cap | 3       |                |
| 90      | R3256-26     | 01-166-0540,<br>01-166-0820,<br>17-2530,<br>24-13-BD,<br>30-8570,<br>3256-26,<br>356206,<br>48-9390                                            | Washer - 1/2 in                               | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Groundsmaster 5900-D Parts

Rotary Mower - Model 31698  
Center Rotary Deck - Model 31601



| Item No | R&R Part No. | OEM Part No.                                                                                                                                                                                                                                                                                                                   | Description                             | Qty Req | Order Quantity |
|---------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------|----------------|
| 91      | R323-42      | 01-178-0630,<br>323-42                                                                                                                                                                                                                                                                                                         | Bolt - Hx HD 3/8-16 x 3 3/4             | 4       |                |
| 92      | R104-8301    | 104-8301,<br>104-9301,<br>109-6658,<br>133-7570                                                                                                                                                                                                                                                                                | Locknut - 3/8-16 Nylon Flanged          | 42      |                |
| 93      | R322-17      | 322-17                                                                                                                                                                                                                                                                                                                         | Bolt                                    | 1       |                |
| 94      | R104-8300    | 104-8300,<br>104-8300 ,<br>119-4041                                                                                                                                                                                                                                                                                            | Locknut - 5/16-18 Flanged Y/Zinc        | 1       |                |
| 95      | R453011      | 01-166-0100,<br>01-166-0120,<br>01-166-0270,<br>01-166-0500,<br>01-166-0600,<br>01-166-0620,<br>132-4593,<br>2356-3,<br>237-12,<br>24-10-AD,<br>24-11-AD,<br>24-11-BD,<br>24-12-AD,<br>24-12-BD,<br>30-9310,<br>32-8190,<br>3256-24,<br>3256-3,<br>3256-36,<br>3256-4,<br>453011,<br>47-9950,<br>48-9220,<br>513458,<br>7-0052 | Washer - Flat 3/8 SAE Y/Zinc            | 8       |                |
| 96      | R110-8297    | 110-8297,<br>26-1830                                                                                                                                                                                                                                                                                                           | Bearing Set w/Retaining Rings - Spindle | 3       |                |
| 97      | R108-1954    | 108-1954                                                                                                                                                                                                                                                                                                                       | Spacer Set- Bearing                     | 3       |                |
| 98      | R108-1921    | 108-1921                                                                                                                                                                                                                                                                                                                       | Torsion Spring - Idler                  | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Toro Groundsmaster 5900-D Parts

*Rotary Mower - Model 31698*

*Center Rotary Deck - Model 31601*



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.