


Replaces Exmark Quest Drive Series Parts



48in Rotary Mower Caster Wheel





Replaces Exmark Quest Drive Series Parts



48in Rotary Mower Caster Wheel

	Part No.	Description	Qty Req	Order Quantity
RCT5121861	1-523009, 125-5581, 126-5959	Tire - 13x6.50-6 Nhs (4 Ply) Carlisle Smooth	2	
RTMT41011	109-9127, 117-0361, 126-3289, 126-4860	Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	
radius mowers, and completely which helps ensure the mower dampen the ride for enhanced	y eliminate the risk of j deck produces an eve operator comfort, eve	flat tires. They have a consistent hub h n cut, while the poly-resin spokes help an when navigating over curbs and oth	eight	
RTMT73818	109-9127, 117-0361, 126-3289, 126-4860	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	
radius mowers, and completely which helps ensure the mower dampen the ride for enhanced	y eliminate the risk of j deck produces an eve operator comfort, eve	flat tires. They have a consistent hub h n cut, while the poly-resin spokes help en when navigating over curbs and oth	eight	
R127-9528		Tire & Wheel - 13x6:50-6 Smooth Semi Pneumatic	2	
R127-9526		Tire & Wheel - 13x6.50-6	2	
R127-9540		Tire & Wheel - 13x6.50-6 Pneumatic	2	
R117-0361	117-0361	Tire & Wheel - 13x6.50-6 Pneumatic	2	
R109-9127	109-9127	Tire & Wheel - 13x6.50-6 Flat Free	2	
RZSM422-0027-00		Tire & Wheel - 13x6.50-6 Carlisle Smooth	2	
	RTMT41011 Detail Description: Michelin X 1 radius mowers, and completely which helps ensure the mower dampen the ride for enhanced bumps. They are designed to p RTMT73818 Detail Description: Michelin X 1 radius mowers, and completely which helps ensure the mower dampen the ride for enhanced bumps. They are designed to p R127-9528 R127-9526 R127-9540 R117-0361	RCT5121861 126-5959 RTMT41011 109-9127, 117-0361, 126-3289, 126-4860 Detail Description: Michelin X Tweel Turf casters replayed radius mowers, and completely eliminate the risk of your which helps ensure the mower deck produces an event dampen the ride for enhanced operator comfort, event bumps. They are designed to provide a long wear life. RTMT73818 109-9127, 117-0361, 126-3289, 126-4860 Detail Description: Michelin X Tweel Turf casters replayed redius mowers, and completely eliminate the risk of your which helps ensure the mower deck produces an event dampen the ride for enhanced operator comfort, event bumps. They are designed to provide a long wear life. R127-9528 R127-9526 R117-0361 117-0361 117-0361	RCT5121861 125-5581, 126-5959 109-9127, 117-0361, 126-3289, 126-4860 Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn dus mowers, and completely eliminate the risk of flat tires. They have a consistent hub the humps. They are designed to provide a long wear life.: 109-9127, 117-0361, 126-3289, 126-4860 RTMT73818 109-9127, 117-0361, 126-3289, 126-4860 Detail Description: Michelin X Tweel Turf casters on even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and oth bumps. They are designed to provide a long wear life.: RTMT73818 109-9127, 117-0361, 126-3289, 126-4860 Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn dus mowers, and completely eliminate the risk of flat tires. They have a consistent hub his high sensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and oth bumps. They are designed to provide a long wear life.: R127-9528 Tire & Wheel - 13x6:50-6 Smooth Semi Pneumatic R127-9540 Tire & Wheel - 13x6.50-6 Pneumatic R117-0361 117-0361 Tire & Wheel - 13x6.50-6 Flat Free R128-2422-0027-00 Tire & Wheel - 13x6.50-6 Carlisle	RCT5121861 125-5581, 126-5959 RTMT41011 109-9127, 117-0361, Smooth - 13x6.5N6 (5/8in 2 126-3289, Mount) 290 lb Max Load Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.: RTMT73818 109-9127, 117-0361, Grooved - 13x6.5N6 (5/8in 2 126-3289), Mount) 290 lb Max Load Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.: R127-9528 Tire & Wheel - 13x6.50-6 2 R127-9540 Tire & Wheel - 13x6.50-6 7 Pneumatic 2 R109-9127 109-9127 Tire & Wheel - 13x6.50-6 Flat Free 7 Tire & Wheel - 13x6.50-6 Carlisle 2 Tire & Wheel - 13x6.50-6 Carlisle 2

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces Exmark Quest Drive Series Parts



48in Rotary Mower Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
Othe	r Parts Available				
40	R32128-23	32128-23, 99-5107	Nut - Lock Hex Flanged 1/2-13	2	
41	R3234-47	3234-47	Bolt - Flanged Hx HD	2	