
Replaces John Deere 2653 Reel Mower



Parts *Cutting Unit - Serial up to 030000 Reel & Bedknife*





| | | ng Unit - Serial up to 03 & Bedknife | 30000 | | |
|---|--|--|---|---|----------------|
| | R&R Part No. | OEM Part No. | Description | Qty Req | Orde Quanti |
| | Reels, Lifetime Gua | | | | <u></u> |
| 1 | RAET11157 | AET11157, AMT2868, AMT2870 | Reel - 5 Blade | 1 | |
| | Tech Note: Fits 26" 2 | 2653: | | | |
| | precision cylindrica performance. Adva our lifetime guaran | l grinding on bearing surfaces nced computer balancing ens | R&R and OEM bedknives. Each re s, followed by relief grinding for o ures extended reel and bearing li ls and craftsmanship under norn recision you can trust.: | ptimal fe. Backed by | |
| 1 | RAET11158 | AET11158, AMT2869 | Reel - 8 Blade | 1 | |
| | Tech Note: Fits 26" 2 | 2653: | | | |
| | steel, heat-treated t precision cylindrica performance. Advan our lifetime guaran | o perfectly complement both l grinding on bearing surfaces nced computer balancing ens | rafted from premium high carbo R&R and OEM bedknives. Each re s, followed by relief grinding for o ures extended reel and bearing li ls and craftsmanship under norn recision you can trust.: | el undergoes ptimal fe. Backed by | |
| 1 | RAMT1015 | AMT1015 | Reel - 5 Blade | 1 | |
| | Tech Note: Fits 26" 2 | 2653A & 2653B: | | | |
| | steel, heat-treated t precision cylindrica performance. Advan our lifetime guaran | o perfectly complement both l grinding on bearing surfaces nced computer balancing ens | rrafted from premium high carbo R&R and OEM bedknives. Each re s, followed by relief grinding for o ures extended reel and bearing li Is and craftsmanship under norn recision you can trust.: | el undergoes ptimal fe. Backed by | |
| | RAMT1016 | AMT1016, AMT2871 | Reel - 8 Blade | 1 | |
| 1 | | | | | |

| Pro | | ng Unit - Serial up to 03 & Bedknife | 30000 | | |
|-----|---|---|--|---|------------------|
| | R&R Part No. | OEM Part No. | Description | Qty Req | Orde Quantity |
| | steel, heat-treated to precision cylindrical performance. Advan our lifetime guarant | perfectly complement both grinding on bearing surface ced computer balancing ens | crafted from premium high carbo R&R and OEM bedknives. Each re s, followed by relief grinding for o sures extended reel and bearing li als and craftsmanship under norm recision you can trust.: | el undergoes ptimal fe. Backed by | |
| 1 | RAMT1052 | AMT1052 | Reel - 5 Blade | 1 | |
| | Tech Note: Fits 30" 2 | 653A & 2653B: | | | |
| | steel, heat-treated to precision cylindrical performance. Advan our lifetime guarant | perfectly complement both grinding on bearing surface ced computer balancing ens | crafted from premium high carbo R&R and OEM bedknives. Each re s, followed by relief grinding for o cures extended reel and bearing li als and craftsmanship under norm precision you can trust.: | el undergoes ptimal fe. Backed by | |
| 1 | RAMT1053 | AMT1053, AMT2890 | Reel - 8 Blade | 1 | |
| | Tech Note: Fits 30" 2 | 653A & 2653B: | | | |
| | steel, heat-treated to precision cylindrical performance. Advan our lifetime guarant | perfectly complement both grinding on bearing surface ced computer balancing ens | crafted from premium high carbo R&R and OEM bedknives. Each re s, followed by relief grinding for o sures extended reel and bearing li als and craftsmanship under norn recision you can trust.: | el undergoes ptimal fe. Backed by | |
| R&R | Bedknives, Lifetime | Guaranteed | | | |
| 2 | RET17752 | ET17752 | Bedknife - 26 in 10 Hol | e 1 | |
| | then hardened to RC Bedknives are surfac being packaged with grind for added life. | 46-49 to match the temper of the ground on the top and fro oil for rust prevention. All R | ured from high carbon-boron allo of our reel blades and original eq nt edge and straightened three til &R Bedknives now have an increa nteed against defects in material e part.: | uipment reels. mes before used front edge | |
| | | MT2396, | Bedknife - 26 in Low Cu | ut 10 | |





| ltem R& No Pa | OEM Part No. | Description | Qty Req | Order Quantity |
|------------------------------------|-----------------|-------------|------------|-------------------|
| | 5 | | | |

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

| 2 | RMT1973 | MT1973 | Bedknife - 30 in 12 Hole | 1 |
|---|---------|----------|--------------------------|---|
| 2 | | 10111975 | Deukinie - Juni 12 hule | 1 |

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

Other Parts Available

| 10 | RET16897 | ET16897 | Eyebolt | 2 |
|----|-----------|------------------------------|-------------------------------|----|
| 11 | RET17361 | ET17361 | Nut - Flanged Eyebolt | 2 |
| 12 | R302-5 | JD7797, JD7842, JD7844 | Fitting - Grease | 4 |
| 13 | RJD8905 | JD8905 | Bearing | 2 |
| 13 | RJD8960 | JD8960 | Tapered Bearing Cone | 2 |
| 14 | RMT74 | MT74 | Bushing - Roller Bkt | 4 |
| 15 | R32120-65 | N51168 | Ring - Retaining | 1 |
| 16 | RP48362 | P48362 | Locknut - Reel | 2 |
| 16 | RMT1211 | MT1211 | Locknut - 7/8-14 All Metal | 2 |
| 17 | R14M7396 | 14M7396 | Locknut - Flanged Nyloc | 12 |
| 18 | R19M7573 | 19M7573 | Screw - Bedknife M8-1.25 x 20 | 12 |
| 34 | RET17754 | ET17754 | Deflector - 26 Grass | 1 |
| | | | | |

Replaces John Deere 2653 Reel Mower

Parts

Cutting Unit - Serial up to 030000 Reel & Bedknife

| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|----|------------------------|--------------------|-------------------------------|------------|-------------------|
| 34 | RMT1979 | MT1979 | Deflector - 30 Grass | 1 | |
| 35 | RAET11300 | AET11300 | Frame - 26 in | 1 | |
| 35 | RAMT1054 | AMT1054 | Frame - 30 in | 1 | |
| 35 | RAET11305 | AET11305 | Frame | 1 | |
| | Tech Note: Fits 2653B: | | | | |
| 36 | RMT6595 | MT6595 | Adjuster - L. Front / R. Rear | 2 | |
| 37 | RAMT100 | AMT100, ET17632 | Adjuster - R. Front / L. Rear | 2 | |
| 38 | RAET11311 | AET11311 | Clamp - Roller Bkt | 4 | |
| 39 | RET17646 | ET17646 | Stud - Clamp | 4 | |
| 40 | RET17760 | ET17760 | Pin - 26 Deflector | 1 | |
| 40 | RMT1980 | MT1980 | Pin - 30 Deflector | 1 | |
| 41 | RR50647 | J16931, R50647 | Pin - Hair Cotter | 1 | |
| 43 | R19M7783 | 19M7783 | Screw - Bed Bar Mount | 10 | |
| 44 | RET17645 | MT7001 | Cap - Reel Bearing Housing | 1 | |
| 45 | RET16424 | ET16424 | Washer | 6 | |
| 46 | RET16678 | ET16678 | Washer - Spring | 10 | |
| 47 | RET16425 | ET16425 | Bolt | 2 | |
| 48 | RA31867 | A31867 | Locknut | 2 | |
| 49 | RH138435 | H138435 | Screw - Set | 2 | |
| 50 | R14M7152 | 14M7152 | Nut - 10mm x 1.5 Jam | 2 | |
| 51 | RET17630 | ET17630 | Spring - Torsion RH | 1 | |
| | | | | | |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces John Deere 2653 Reel Mower

Parts



Cutting Unit - Serial up to 030000 Reel & Bedknife

| ltem R&R No Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---|-----------------|--------------------------------|------------|-------------------|
| 52 RMT1520 | MT1520 | Label | 2 | |
| 53 RET17629 | ET17629 | Spring - Torsion LH | 1 | |
| 54 RMT2368 | MT2368 | Scraper - Assy 26 Solid Roller | 1 | |

Detail Description: Includes: RET17630, RET17629, RET17758, R34M7010 RMT2594 R14M7303 & R21M7246:

| 54 | RAMT1379 | AMT1379 | Scraper - Assy Solid Roller 30 | 1 |
|----|----------|---------|--------------------------------|---|
| 55 | RET17758 | ET17758 | Pin - 26 Scrapers | 1 |
| 55 | RMT1982 | MT1982 | Pin - 30 Scrapers | 1 |
| 55 | RET16931 | ET16931 | Pin - 30 Scraper | 1 |
| 56 | R34M7010 | 34M7010 | Pin - Spring | 1 |
| 57 | R19M8197 | 19M8197 | Bolt - Hx HD | 4 |
| 58 | R14M7296 | 14M7296 | Nut - 10mm x 1.5 Flanged | 8 |
| 59 | R03M7194 | 03M7194 | Bolt | 4 |
| 60 | RET16572 | ET16572 | Nut - Hex | 2 |
| 61 | RET17510 | ET17510 | Spring | 1 |
| 62 | R24H1308 | 24H1308 | Washer | 4 |
| 63 | R21M7246 | 21M7246 | Screw | 4 |
| 64 | RMT2594 | MT2594 | Blade - 26 Scraper | 1 |
| 64 | RMT2593 | MT2593 | Blade - 30 Scraper | 1 |
| 65 | R14M7303 | 14M7303 | Nut - 6mm x 1.0 Flanged | 4 |
| 66 | RBM18555 | BM18555 | Scraper Kit - 26in SET/3 | 1 |
| | | | | |

Tech Note: Fits J.D. 26" Grooved Rollers:

| | Replaces John Deere 2653 Reel Mower |
|-----------------|-------------------------------------|
| R&R Products | Parts |
| Products | Cutting Unit - Serial up to 030000 |



| ltem R&R | OEM | Description | Qty | Order |
|--|----------|-------------|-----|----------|
| No Part No. | Part No. | | Req | Quantity |
| Detail Description: Includes 18 ea: R03M7251 Bolt_R14M7303 Nut: 3 ea: R34M7010 Pin | | | | |

Detail Description: Includes 18 ea: R03M7251 Bolt, R14M7303 Nut; 3 ea: R34M7010 Pin, R500563 Scraper, R500565 Scraper Bar, RET17629 LH Spring, RET17630 RH Spring, RET17758 Pin:

| 66 | RBM18554 | BM18554 | Scraper Kit - 30in SET/3 | 1 |
|----|----------|---------|--------------------------|---|
|----|----------|---------|--------------------------|---|

Tech Note: Fits J.D. 30" Grooved Rollers:

Reel & Bedknife

Detail Description: Includes 18 ea: R03M7251 Bolt, R14M7303 Nut; 3 ea: R34M7010 Pin, R500562 Bar, R500564 Scraper, RET17629 LH Spring, RET17630 RH Spring, RMT1982 Pin:

| 67 | R500565 | MT2368 | Bar - Scraper 26 | 1 |
|----|-----------------------------|---------------|--------------------------------------|---|
| 67 | R500562 | | Bar - 30 Scraper | 1 |
| 68 | RMT5159 | MT5159 | Scraper - Fits J.D. LH End | 1 |
| 69 | RMT2342 | MT2342 | Section - Grooved Scraper 3 Tooth | 1 |
| 70 | RMT2340 | MT2340 | Scraper - Fits J.D. Center | 1 |
| 71 | RMT5158 | MT5158 | Scraper - Fits J.D. RH End | 1 |
| 72 | RMT2341 | MT2341 | Section - Grooved Scraper 4 Tooth | 2 |
| 74 | R500560 | | Scraper - Fits 26 Rlr | 1 |
| | Tech Note: Fits R&R Groovea | Rollers Only: | | |
| 74 | R500561 | | Scraper - Fits 30 Rlr | 1 |
| | Tech Note: Fits R&R Groovea | Rollers Only: | | |
| 75 | R03M7251 | 03M7251 | Bolt - Gr. Roller Scraper | 4 |
| 76 | R14M7400 | 14M7400 | Locknut - 10mm | 4 |
| 77 | R500563 | | Scraper - Fits 26 OEM Grooved Rlr | 1 |
| 77 | R500564 | | Scraper - Fits 30 OEM Grooved Rlr | 1 |
| | | | | |

Replaces John Deere 2653 Reel Mower Parts

R&R roducts

Cutting Unit - Serial up to 030000 Reel & Bedknife

| | - | | | |
|---|----------------------|---|------------|-------------------|
| ltem R&R No Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
| 79 RAET10880 | AET10880, AMT2965 | Adjuster - Reel | 2 | |
| 81 RMT2527 | MT2527 | Shoe - Skid | 2 | |
| 82 RMT6517 | MT6517 | Label - Warning | 1 | |
| 83 RBM18607 | BM18607 | Scraper Kit - OEM Grooved Roller Set / 5 | 1 | |

Detail Description: Includes 30 ea: R03M7251 Bolt, R14M7303 Bolt; 5 ea: R34M7010 Pin, R500569 Scraper, R500570 Bar, RET16931 Pin, RET17629 LH Spring, RET17630 RH Spring:

| 85 | RH135891 | H135891 | Locknut - 10mm x 1.5 Flanged 10.9 | 2 | | | |
|----|------------------------------------|----------|--------------------------------------|---|--|--|--|
| | Detail Description: High Strength: | | | | | | |
| 86 | RMT2407 | MT2407 | Bracket - Roller Scraper | 5 | | | |
| 87 | RMT6338 | MT6338 | Bolt - Shoulder | 2 | | | |
| 88 | RAMT683 | AMT683 | Housing - Bearing w/Zerk and Seal | 2 | | | |
| 88 | RAET11203 | AET11203 | Housing - Bearing w/Seal and Zerk | 2 | | | |
| 89 | R254-90 | JD8239 | Tapered Bearing Cup | 2 | | | |
| 90 | RAET11303 | AET11303 | Backing Bar - 26 Bedknife | 1 | | | |
| 90 | RAMT1051 | AMT1051 | Backing Bar - 30 Bedknife | 1 | | | |
| 91 | RAN50688 | AN50688 | Seal - Reel - Fits 2653 | 2 | | | |
| 91 | RMT1115 | MT1115 | Seal - Reel | 2 | | | |
| 92 | RET16896 | ET16896 | Bolt - Shoulder | 2 | | | |
| | | | | | | | |