

Double Alloy Hollow Tine with Carbide Tip - .750MT x 4.750L x .530OD R410





O.J. Company 294 Rang St-Paul Sherrington, JOL 2NO 450-247-2758 https://ojcompagnie.rrproducts.com/

Details

The R&R Carbide-Tipped Alloy Hollow Tine construction is the same special high carbon alloy steel tubing and hardened to RC45-48 as the alloy hollow tines, with the addition of a carbide tip for even longer life. The advantage of using carbide tipped tines is the ability to maintain your maximum aerating depth consistently over the life of the tines. You can expect these tines to last 6-8 times longer than the R&R Standard Hollow Tines. Carbide tipped tines are not recommended in rocky soil conditions, as carbide, which is extremely wear resistant, can break when encountering hard impacts in rocks.

Replaces

Salsco

D-027

Specifications

Manufacturer	R&R Products
A - Tine Type	Alloy Hollow
B - Tine Mounting	g .750 in (19mm)
Dia.	
C - Tine Length	4.75 in (121mm)
Carbide Tip	Carbide Tip
D - Tine Tip Outsi	ide .530 in (13.5mm)
(Hole) Dia.	
E - Tine Tip Inside	e .400 in (10.2mm)
(Core) Dia.	
F - Tine Wall	.049 in (1.2mm)
Thickness	

Fits Models Salsco Aerator