


Replaces Toro Greensmaster 2000 Parts









All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.

Replaces Toro Greensmaster 2000 Parts





Mower - Model 04036 Front Rollers

Relers 1 R150340 Roller - Smooth UHMW Polyethylene 1 Detail Description: Machined from solid UHMW this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.: 2 R99-6241 99-6241 Roller - Grooved Machined Solid Aluminum 1 Detail Description: Machined from solid aluminum, this light weight roller uses greasable "water- pump" style bearings and features 3/8" wide grooves.: 1 3 R150335 Roller - Grooved UHMW Polyethylene 1 Detail Description: Machined from solid UHMW, this low maintenance roller rotates around a 1" solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.: 4 R21-6470 21-6470, S2-3590 Roller - Swaged Machined Solid Aluminum 1 Detail Description: Constructed with "water-pump" style bearings, this roller is machined from solid aluminum and contacts the ground only on the outer 2-7/8" of the roller.: 1 5 R88-6790 88-6790 Roller - Grooved Machined Solid Aluminum 1 Detail Description: Machined from solid aluminum, this light weight machined grooved roller uses greasable "water-pump" style bearings. Overhaul Kit - 1 Detail D		R&R Part No.	OEM Part No.	Description	Qty Req	Orde Quantity			
1 R150340 Polyethylene 1 Detail Description: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.: 2 2 R99-6241 99-6241 Roller - Grooved Machined Solid Aluminum 1 Detail Description: Machined from solid aluminum, this light weight roller uses greasable "water-pump" style bearings and features 3/8" wide grooves.: 1 3 R150335 Roller - Grooved UHMW Polyethylene 1 Detail Description: Machined from solid UHMW, this low maintenance roller rotates around a 1" solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.: 4 R21-6470 10-5000, 21-6470, Aluminum 1 Detail Description: Constructed with "water-pump" style bearings, this roller is machined from solid aluminum and contacts the ground only on the outer 2-778" of the roller.: 1 5 R88-6790 88-6790 Roller - Grooved Machined Solid Aluminum 1 Detail Description: Machined from solid aluminum, this light weight machined grooved roller uses greasable "water-pump" style bearings.: 1 0 Detail Description: Stachined from solid aluminum, this light weight machined grooved roller uses greasable "water-pump" style bearings.: 1 Detail Description: Includes 2	R&R I	Rollers							
stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.: 2 R99-6241 99-6241 Roller - Grooved Machined Solid Aluminum 1 Detail Description: Machined from solid aluminum, this light weight roller uses greasable "water- pump" style bearings and features 3/8" wide grooves.: 1 3 R150335 Roller - Grooved UHMW Polyethylene 1 3 R150335 Roller - Grooved UHMW Polyethylene 1 4 R21-6470 10-5000, 21-6470, 52-3590 Roller - Swaged Machined Solid Aluminum 1 5 R88-6790 80-12-6470, 21-6470, 2	1	R150340			1				
2 R99-6241 Aluminum 1 Detail Description: Machined from solid aluminum, this light weight roller uses greasable "water- pump" style bearings and features 3/8" wide grooves.: 1 3 R150335 Roller - Grooved UHMW Polyethylene 1 3 R150335 Polyethylene 1 Detail Description: Machined from solid UHMW, this low maintenance roller rotates around a 1" solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.: 1 4 R21-6470 21-6470, S2-3590 Roller - Swaged Machined Solid Aluminum 1 Detail Description: Constructed with "water-pump" style bearings, this roller is machined from solid aluminum and contacts the ground only on the outer 2-7/8" of the roller.: 1 5 R88-6790 Roller - Grooved Machined Solid Aluminum 1 Detail Description: Machined from solid aluminum, this light weight machined grooved roller uses greasable "water-pump" style bearings:: 1 Overhaul Kits 1 1 1 10 R107-1588 107-1588 0verhaul Kit - Roller 1 11 R10395 Overhaul Kit - UHMW Roller 1 Detail Description: Includes 2 ea.: R302-5 Grease Fittings & R52-3180 Bearings: 1									
pump" style bearings and features 3/8" wide grooves.: Image: style bearings and features 3/8" wide grooves.: 3 R150335 Roller - Grooved UHMW Polyethylene 1 3 R150335 Roller - Grooved UHMW Polyethylene 1 Detail Description: Machined from solid UHMW, this low maintenance roller rotates around a 1" solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.: 1 4 R21-6470 21-6470, 21-6470, 52-3590 Roller - Swaged Machined Solid Aluminum 1 Detail Description: Constructed with "water-pump" style bearings, this roller is machined from solid aluminum and contacts the ground only on the outer 2-7/8" of the roller.: 1 5 R88-6790 88-6790 Roller - Grooved Machined Solid Aluminum 1 Detail Description: Machined from solid aluminum, this light weight machined grooved roller uses greasable "water-pump" style bearings.: 1 Overhaul Kits 1 1 1 10 R107-1588 107-1588 Overhaul Kit - Roller 1 11 R101395 Overhaul Kit - UHMW Roller 1 Detail Description: Includes 2 ea.: R302-5 Grease Fittings & R52-3180 Bearings: 1 11 Detail Description: Encludes 2 ea.: R302-5 Grease Fittings & R52-318	2	R99-6241	99-6241		1				
3 R150335 Polyethylene 1 3 R150335 Polyethylene 1 9 Detail Description: Machined from solid UHMW, this low maintenance roller rotates around a 1" solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.: 4 R21-6470 10-5000, 21-6470, S2-3590 Roller - Swaged Machined Solid Aluminum 1 5 R88-6790 88-6790 Roller - Grooved Machined Solid Aluminum 1 5 R88-6790 88-6790 Roller - Grooved Machined Solid Aluminum 1 Detail Description: Machined from solid aluminum, this light weight machined grooved roller uses greasable "water-pump" style bearings.: 1 Overhaul Kits 1 1 1 10 R107-1588 107-1588 Overhaul Kit - Roller 1 11 R101395 Overhaul Kit - UHMW Roller 1 12 Detail Description: Includes 2 ea.: R302-5 Grease Fittings & R52-3180 Bearings: 1 13 R101395 Overhaul Kit - UHMW Roller 1 Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, &									
solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.: 4 R21-6470 10-5000, 21-6470, Aluminum 9 Detail Description: Constructed with "water-pump" style bearings, this roller is machined from solid aluminum and contacts the ground only on the outer 2-7/8" of the roller.: 1 5 R88-6790 88-6790 Roller - Grooved Machined Solid Aluminum 1 Detail Description: Machined from solid aluminum, this light weight machined grooved roller uses greasable "water-pump" style bearings.: 1 Overhaul Kits 1 1 10 R107-1588 107-1588 Overhaul Kit - Roller 1 11 R101395 Overhaul Kit - UHMW Roller 1 12 Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, &	3	R150335			1				
4 R21-6470 21-6470, 52-3590 Roller - Swaged Machined Solid Aluminum 1 Detail Description: Constructed with "water-pump" style bearings, this roller is machined from solid aluminum and contacts the ground only on the outer 2-7/8" of the roller.: 1 5 R88-6790 88-6790 Roller - Grooved Machined Solid Aluminum 1 Detail Description: Machined from solid aluminum, this light weight machined grooved roller uses greasable "water-pump" style bearings.: 1 Overhaul Kits 1 1 10 R107-1588 107-1588 Overhaul Kit - Roller 1 11 R101395 Overhaul Kit - UHMW Roller 1 Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, &		solid stainless steel shaft and requires no bearings or grease. Patented groove design and							
solid aluminum and contacts the ground only on the outer 2-778" of the roller.: 5 R88-6790 88-6790 Roller - Grooved Machined Solid Aluminum 1 Detail Description: Machined from solid aluminum, this light weight machined grooved roller uses greasable "water-pump" style bearings.: 1 Overhaul Kits 1 1 1 10 R107-1588 107-1588 0verhaul Kit - Roller 1 Detail Description: Includes 2 ea.: R302-5 Grease Fittings & R52-3180 Bearings: 1 1 11 R101395 Overhaul Kit - UHMW Roller 1 Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, &	4	R21-6470	21-6470,		1				
5 R88-6790 Aluminum I Detail Description: Machined from solid aluminum, this light weight machined grooved roller uses greasable "water-pump" style bearings.: Image: Construction of the construction of									
uses greasable "water-pump" style bearings.: Overhaul Kits 10 R107-1588 107-1588 Overhaul Kit - Roller 1 Detail Description: Includes 2 ea.: R302-5 Grease Fittings & R52-3180 Bearings: 1 1 11 R101395 Overhaul Kit - UHMW Roller 1 Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, &	5	R88-6790	88-6790		1				
10 R107-1588 107-1588 Overhaul Kit - Roller 1 Detail Description: Includes 2 ea.: R302-5 Grease Fittings & R52-3180 Bearings: 1 11 R101395 Overhaul Kit - UHMW Roller 1 Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, &									
Detail Description: Includes 2 ea.: R302-5 Grease Fittings & R52-3180 Bearings: 11 R101395 Overhaul Kit - UHMW Roller 1 Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, &	Overl	haul Kits							
11 R101395 Overhaul Kit - UHMW Roller 1 Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: 1 R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, &	10	R107-1588	107-1588	Overhaul Kit - Roller	1				
Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, &		Detail Description: Includes 2 ea.: R302-5 Grease Fittings & R52-3180 Bearings:							
R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, &	11	R101395		Overhaul Kit - UHMW Roller	1				
		R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, &							

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.

Replaces Toro Greensmaster 2000 Parts



Mower - Model 04036 Front Rollers



	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
Othe	r Parts Available				
20	R52-3180	21-6410, 52-3180	Bearing - Front Roller	2	
21	R150347T		Seal - Nonstick Lip	2	
22	R150334A		Washer - Thrust SAE660 Bronze	2	
23	R150333		Washer - Flat Keyed Outer SS	2	
24	R3296-15	116-7306, 32118-5, 32127-23, 32127-47, 3296-15	Locknut - 3/4-16 Nylon Jam	2	
25	R302-5	21-6010, 302-11, 302-37, 302-47, 302-5, 302-57, 302-58, 302-6, 31-0300, 32-9660, 60-0800, 62-3880, 92-4181	Fitting - Grease	2	
26	R52-3210	52-3210	Bearing - w/Milled Flat	2	
27	R112-9288	112-9288	Scraper Kit - Fits OEM Gr Roller .61 in Spacing	1	
	Detail Description: IN	ICL: 1 EA R65-8340-01 & 4	EA R3254-8 LW & R3219-1 NUT:		
28	R3219-1	01-158-0590, 01-188-0428, 3219-1	Nut - 1/4-28	4	
29	R3254-8	3254-8	Washer - Lock 1/4 Int Star Z	2	

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.