


**Parts** 

## **Replaces Toro Greensmaster Flex 1018**



*Cutting Unit - Model 04853 & 04854 Reel & Bedknife* 



| Pro  | ducts  | <b>Parts</b><br>Cutting Unit - Model 04853<br>Reel & Bedknife   | & 04854  |                       | i an |
|------|--|---|--|-----------------------|--|
|      | R&R<br>Part No.  | OEM<br>Part No.   | Description  | Qty<br>Req            | Orde<br>Quantity                         |
|      | haul Kits and  |   |  |                       |  |
| 1    | R121-2637  | 121-2637  | Overhaul Kit - DPA Adjusters   | 1                     |  |
| &R I | Bedknives, Lif   | etime Guaranteed  |  |                       |  |
| 10   | R110-2300  | 110-2300  | Bedknife - Micro Cut Extende<br>.062187 HOC  | ط<br>1                |  |
|      | then hardene<br>Bedknives are<br>being packag<br>grind for add   | d to RC46-49 to match the temper<br>e surface ground on the top and fro<br>ed with oil for rust prevention. All F | ured from high carbon-boron alloy ste<br>of our reel blades and original equipm<br>ont edge and straightened three times<br>& R Bedknives now have an increased<br>anteed against defects in material and<br>be part.: | nent reels.<br>before |  |
| 10   | R98-7261   | 98-7261   | Bedknife - Micro Cut .06218<br>HOC   | <sup>37</sup> 1       |  |
|      | then hardene<br>Bedknives are<br>being packag<br>grind for add   | d to RC46-49 to match the temper<br>e surface ground on the top and fro<br>ed with oil for rust prevention. All F | ured from high carbon-boron alloy ste<br>of our reel blades and original equipm<br>ont edge and straightened three times<br>& R Bedknives now have an increased<br>anteed against defects in material and<br>re part.: | nent reels.<br>before |  |
| 10   | R98-7260   | 98-7260,<br>98-7260-05  | Bedknife - Tournament .125 -<br>.500 HOC   | 1                     |  |
|      | Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and<br>then hardened to RC46-49 to match the temper of our reel blades and original equipment reels.<br>Bedknives are surface ground on the top and front edge and straightened three times before<br>being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge<br>grind for added life. All R&R Bedknives are guaranteed against defects in material and<br>workmanship under normal use for the life of the part.: |   |  |                       |  |
| 10   | R110-2301  | 110-2301  | Bedknife - Low Cut .187 - 1.00<br>HOC  | 1                     |  |
|      | Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and<br>then hardened to RC46-49 to match the temper of our reel blades and original equipment reels.<br>Bedknives are surface ground on the top and front edge and straightened three times before<br>being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge<br>grind for added life. All R&R Bedknives are guaranteed against defects in material and<br>workmanship under normal use for the life of the part.: |   |  |                       |  |

| Repro                                     | & <b>R</b> Pa  | eplaces Toro Gre<br>arts<br>arts Unit - Model 04853  | ensmaster Flex 1018<br>& 04854  |  |                   |
|---|--|--|---|--|-------------------|
|   |  | el & Bedknife  |   |  |                   |
|   | R&R<br>Part No.  | OEM<br>Part No.  | Description   | Qty<br>Req   | Order<br>Quantity |
| R&R                                       | Razor Tool Steel,  | Lifetime Guaranteed  |   |  |                   |
| 10  | R117-1530  | 117-1530   | Bedknife - Razor Tool Steel - 18<br>Micro Cut .062187 HOC   | 1  |                   |
|   | and then harden<br>equipment prem<br>specially packag<br>grind for added   | ned to RC48-51 to match the tem<br>nium series reels. Bedknives are s<br>red for rust prevention. All R&R B<br>life. All R&R Bedknives are guara<br>nder normal use for the life of th       | nufactured from premium alloy tool stee<br>oper of our Razor reel blades and origina<br>surface ground on the top and front edge<br>edknives now have an increased front ed<br>onteed against defects in material and<br>e part. You can expect up to double the f  | al<br>e and<br>dge                                       |                   |
| 10  | R117-1532  | 117-1532   | Bedknife - Razor Tool Steel -<br>Tournament .125500 HOC   | 1  |                   |
|   | and then harder  | ned to RC48-51 to match the tem  | nufactured from premium alloy tool stee<br>oper of our Razor reel blades and origina  |  |                   |
|   | specially packag<br>grind for added  | red for rust prevention. All R&R B<br>life. All R&R Bedknives are guara<br>nder normal use for the life of th  | surface ground on the top and front edge<br>edknives now have an increased front ed<br>inteed against defects in material and<br>e part. You can expect up to double the i  | e and<br>dge   |                   |
| 10  | specially packag<br>grind for added<br>workmanship u   | red for rust prevention. All R&R B<br>life. All R&R Bedknives are guara<br>nder normal use for the life of th  | surface ground on the top and front edge<br>edknives now have an increased front ec<br>inteed against defects in material and   | e and<br>dge   |                   |
|   | specially packag<br>grind for added<br>workmanship ui<br>standard bedkn  | red for rust prevention. All R&R B<br>life. All R&R Bedknives are guara<br>nder normal use for the life of th<br>ives.:  | Surface ground on the top and front edge<br>edknives now have an increased front ed<br>inteed against defects in material and<br>e part. You can expect up to double the f<br>Bedknife - Razor Tool Steel -   | e and<br>dge<br>life over                                |                   |
| 10  | specially packag<br>grind for added<br>workmanship u<br>standard bedkn<br>R139-4319  | red for rust prevention. All R&R B<br>life. All R&R Bedknives are guara<br>nder normal use for the life of th<br>ives.:<br>139-4319<br>139-4318  | Surface ground on the top and front edge<br>edknives now have an increased front ed<br>inteed against defects in material and<br>e part. You can expect up to double the f<br>Bedknife - Razor Tool Steel -<br>Tournament Short<br>Bedknife - Razor Tool Steel -  | e and<br>dge<br>life over<br>1                           |                   |
| 10<br><b>Othe</b>                         | specially packag<br>grind for added<br>workmanship ur<br>standard bedkn<br>R139-4319<br>R139-4318  | red for rust prevention. All R&R B<br>life. All R&R Bedknives are guara<br>nder normal use for the life of th<br>ives.:<br>139-4319<br>139-4318  | Surface ground on the top and front edge<br>edknives now have an increased front ed<br>inteed against defects in material and<br>e part. You can expect up to double the f<br>Bedknife - Razor Tool Steel -<br>Tournament Short<br>Bedknife - Razor Tool Steel -  | e and<br>dge<br>life over<br>1                           |                   |
| 10<br><b>Othe</b><br>70                   | specially packag<br>grind for added<br>workmanship ur<br>standard bedkn<br>R139-4319<br>R139-4318<br>r Parts Available   | red for rust prevention. All R&R B<br>life. All R&R Bedknives are guara<br>nder normal use for the life of th<br>ives.:<br>139-4319<br>139-4318  | Surface ground on the top and front edge<br>eedknives now have an increased front edge<br>inteed against defects in material and<br>e part. You can expect up to double the f<br>Bedknife - Razor Tool Steel -<br>Tournament Short<br>Bedknife - Razor Tool Steel -<br>Micro Short  | e and<br>dge<br>life over<br>1<br>1                      |                   |
| 10<br><b>Othe</b><br>70<br>71             | specially packag<br>grind for added<br>workmanship ur<br>standard bedkn<br>R139-4319<br>R139-4318<br>r Parts Available<br>R119-4066-03                           | red for rust prevention. All R&R B<br>life. All R&R Bedknives are guara<br>inder normal use for the life of th<br>ives.:<br>139-4319<br>139-4318<br>2<br>119-4066-03                         | Surface ground on the top and front edge<br>eedknives now have an increased front edge<br>inteed against defects in material and<br>e part. You can expect up to double the f<br>Bedknife - Razor Tool Steel -<br>Tournament Short<br>Bedknife - Razor Tool Steel -<br>Micro Short<br>Cutoff Bar<br>Screw - Bedknife 5/16-18 x  | e and<br>dge<br>life over<br>1<br>1<br>1                 |                   |
| 10<br><b>Othe</b><br>70<br>71<br>72       | specially packag<br>grind for added<br>workmanship ur<br>standard bedkn<br>R139-4319<br>R139-4318<br>r Parts Available<br>R119-4066-03<br>R119-4151              | red for rust prevention. All R&R B<br>life. All R&R Bedknives are guara<br>inder normal use for the life of th<br>ives.:<br>139-4319<br>139-4318<br>2<br>119-4066-03<br>119-4151             | Surface ground on the top and front edge<br>eedknives now have an increased front ed<br>inteed against defects in material and<br>e part. You can expect up to double the f<br>Bedknife - Razor Tool Steel -<br>Tournament Short<br>Bedknife - Razor Tool Steel -<br>Micro Short<br>Cutoff Bar<br>Screw - Bedknife 5/16-18 x<br>17/32<br>Shaft - Adjusting - Bed Bar -              | e and<br>dge<br>life over<br>1<br>1<br>1<br>1<br>1       |                   |
| 10<br><b>Othe</b><br>70<br>71<br>72<br>73 | specially packag<br>grind for added<br>workmanship ur<br>standard bedkn<br>R139-4319<br>R139-4318<br>r Parts Available<br>R119-4066-03<br>R119-4151<br>R106-5363 | red for rust prevention. All R&R B<br>life. All R&R Bedknives are guara<br>inder normal use for the life of th<br>ives.:<br>139-4319<br>139-4318<br>2<br>119-4066-03<br>119-4151<br>106-5363 | Surface ground on the top and front edge<br>eedknives now have an increased front ed<br>inteed against defects in material and<br>e part. You can expect up to double the f<br>Bedknife - Razor Tool Steel -<br>Tournament Short<br>Bedknife - Razor Tool Steel -<br>Micro Short<br>Cutoff Bar<br>Screw - Bedknife 5/16-18 x<br>17/32<br>Shaft - Adjusting - Bed Bar -<br>Stainless | e and<br>dge<br>life over<br>1<br>1<br>1<br>1<br>11<br>2 |                   |

## Replaces Toro Greensmaster Flex 1018 Parts



Cutting Unit - Model 04853 & 04854 Reel & Bedknife

|    | R&R<br>Part No. | OEM<br>Part No.       | Description                             | Qty<br>Req | Order<br>Quantity |
|----|-----------------|-----------------------|---|------------|-------------------|
| 76 | R115-7039       | 115-7039              | Screw - Adjuster - Bedbar               | 2          |                   |
| 76 | R137-6130       | 137-6130              | Screw - Adjuster - Hardened -<br>Bedbar | 2          |                   |
| 77 | R119-4156       | 119-4156              | Spring - Compression                    | 2          |                   |
| 78 | R119-4155       | 119-4155              | Washer - Hardened                       | 2          |                   |
| 79 | R99-2097        | 99-2097               | Detent - Bed Bar Adjuster               | 2          |                   |
| 80 | R105-5710       | 105-5710,<br>119-4166 | Spacer - Roller                         | 2          |                   |
| 81 | R105-5711       | 105-5711,<br>119-4165 | Shim - Roller                           | 2          |                   |
| 82 | R105-5712       | 105-5712,<br>119-4157 | Retainer - Roller                       | 2          |                   |
| 83 | R119-4035       | 119-4035              | Bolt - 1/4-20 x 1 3/4 Soc HD Cap<br>Scr | 4          |                   |
| 84 | R119-4040       | 119-4040              | Nut - 1/4-20 Fl Locknut                 | 4          |                   |
| 85 | R115-7042       | 115-7042              | Bolt-Shoulder, Flange                   | 4          |                   |
| 86 | R117-9493       | 117-9493              | Bolt - Bed Bar - Hardened               | 2          |                   |
| 87 | R52-2860        | 119-4150,<br>52-2860  | Washer - Bed Bar Pivot                  | 2          |                   |
| 88 | R52-2900        | 52-2900               | Washer - Nylon                          | 4          |                   |
| 89 | R52-2890        | 52-2890               | Bushing - Flanged                       | 2          |                   |
| 90 | R119-4153       | 119-4153              | Bushing - Rubber                        | 2          |                   |
| 91 | R115-7263       | 115-7263              | Bolt - Bearing Lock                     | 1          |                   |
| 92 | R115-3296       | 115-3296              | Bearing                                 | 2          |                   |
| 92 | R140-5510       | 140-5510              | Bearing - Sealed Stainless              | 2          |                   |
|    |                 |                       |   |            |                   |

## Replaces Toro Greensmaster Flex 1018 Parts



*Cutting Unit - Model 04853 & 04854 Reel & Bedknife* 

|     | R&R<br>Part No. | OEM<br>Part No.  | Description                          | Qty<br>Req | Order<br>Quantity |
|-----|-----------------|--|--------------------------------------|------------|-------------------|
| 93  | R115-3299       | 115-3299   | Seal- Flocked                        | 2          |                   |
| 93  | R115-5604       | 115-5604   | Washer - Flocked Seal                | 2          |                   |
| 94  | R105-5700       | 105-5700,<br>115-5258  | Wave Washer - Bearing                | 1          |                   |
| 95  | R115-7041       | 115-7041   | Bracket - Front Roller 5 1/4 in      | 2          |                   |
| 96  | R110-7352       | 110-7352   | Screw - HOC 2 5/8 Stainless          | 2          |                   |
| 97  | R99-3773        | 99-3773  | Bolt- Plow 3/8-16 x 1 3/4            | 2          |                   |
| 98  | R115-6869       | 115-6869   | Bearing - Ball -Stainless            | 2          |                   |
| 99  | R115-6923       | 115-6923   | Shield - Bearing - Flocked           | 1          |                   |
| 100 | R117-6619       | 117-6619   | Bushing                              | 2          |                   |
| 101 | R3296-48        | 119-4039,<br>32146-7,<br>3296-34,<br>3296-48                                       | Locknut - 7/16-14 ESNA               | 2          |                   |
| 102 | R114-9396       | 114-9396,<br>119-4067  | Bolt - Hex HD 5/16-18 x 3/8          | 4          |                   |
| 103 | R104-8301       | 104-8301,<br>104-9301,<br>109-6658,<br>133-7570                                    | Locknut - 3/8-16 Nylon Flanged       | 2          |                   |
| 104 | R3296-28        | 119-4154,<br>140-9234,<br>32127-34,<br>32128-7,<br>32128-8,<br>32136-7,<br>3296-28 | Nut - 1/2-20 ESNA Jam                | 2          |                   |
| 105 | R119-4005       | 119-4005   | Side Plate Assy-LH Incl<br>R117-6619 | 1          |                   |

## Replaces Toro Greensmaster Flex 1018 Parts



Cutting Unit - Model 04853 & 04854 Reel & Bedknife

| ltem <b>R&amp;R</b><br>No _ <b>Part No.</b> | OEM<br>Part No.   | Description                          | Qty<br>Req | Order<br>Quantity |
|---|---|--------------------------------------|------------|-------------------|
| 106 <b>R119-4007</b>                        | 119-4007  | Side Plate Assy-RH Incl<br>R117-6619 | 1          |                   |
| 107 <b>R139-7383</b>                        | 139-7383  | Nut - Reel - LH Thread               | 1          |                   |
| 108 <b>R117-6831</b>                        | 117-6831  | Bearing - Stainless                  | 2          |                   |
| 109 <b>R117-9080</b>                        | 117-9080  | Locknut - Stainless with Nyloc       | 2          |                   |
| 110 <b>R138-1549</b>                        | 138-1549  | Seal                                 | 1          |                   |
| 111 <b>R133-9155</b>                        | 133-9155  | Spacer - Pulley - Reel               | 2          |                   |
| 112 <b>R3296-25</b>                         | 30-3380,<br>32127-21,<br>32127-31,<br>3290-160,<br>3290-33,<br>3296-13,<br>3296-25,<br>3296-45,<br>329645 | Locknut - 1/2-13 Heavy ESNA          | 2          |                   |
| 113 <b>R360-0398</b>                        | 360-0398  | O-Ring                               | 1          |                   |
| 114 <b>R137-9706</b>                        | 137-9706  | Decal- Warning                       | 1          |                   |
| 115 <b>R115-1794</b>                        | 115-1794  | Bolt - Hx HD Fl 5/16-18 x 1 1/2      | 2          |                   |
| 116 <b>R3296-29</b>                         | 1-804256,<br>3290-357,<br>3296-29,<br>915662P   | Locknut - 5/16-18 ESNA               | 2          |                   |
| 116 <b>R32153-3</b>                         | 119-4038,<br>22-12-AJFD,<br>32127-35,<br>32146-5,<br>32153-3,<br>3296-18,<br>3296-29,<br>3296-31,<br>N/A  | Locknut - 5/16-18 ESNA Zinc          | 2          |                   |

| R&R<br>Products | <b>Replaces Toro Greensmaster Flex 1018</b><br><b>Parts</b><br><i>Cutting Unit - Model 04853 &amp; 04854</i><br><i>Reel &amp; Bedknife</i> |  |
|-----------------|--|--|
|                 |  |  |

| ltem <b>R&amp;R</b>  | OEM      | Description                                 | Qty | Order    |
|----------------------|----------|---|-----|----------|
| No <b>Part No.</b>   | Part No. |   | Req | Quantity |
| 117 <b>R131-6150</b> | 131-6150 | Screw- 1/4-20 x 3/4 Hx Wh<br>Thread Forming | 4   |          |